

This is a repository copy of *The N2-Src neuronal splice variant of C-Src has altered SH3 domain ligand specificity and a higher constitutive activity than N1-Src.*

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/95181/>

Version: Submitted Version

Article:

Keenan, Sarah, Lewis, Philip A, Wetherill, Sarah J et al. (2 more authors) (2015) The N2-Src neuronal splice variant of C-Src has altered SH3 domain ligand specificity and a higher constitutive activity than N1-Src. FEBS Letters. pp. 1995-2000. ISSN 0014-5793

<https://doi.org/10.1016/j.febslet.2015.05.033>

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.

Figure 1




Figure 2




Figure 3




Figure 4




Figure 5

